

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601

VISOCOLOR soil case, with accessories

Page: 1/33

Printing date: 04.04.2023

Date of issue: 26.01.2023

Version: 2.2.2.25

## SECTION 1: Identification of the substance/mixture and of the company

### 1.1 Product identifier

REF	931601	
Product name	VISOCOLOR soil case, with accessories	
REACH Registration number(s):	see SECTION 3.1/3.2 or	
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.		
2 x 25 mL pH 4-10		UFI: CXUT-J3TX-U20V-GTXN
1 x 30 mL P-1		UFI: J1VT-23HC-520D-55HQ
1 x 30 mL P-2		UFI: C6ST-C3R8-2201-AW9K
1 x 30 mL P-K		UFI: G3VT-K36R-F20V-TH3S
1 x 1 L CaCl <sub>2</sub> solution		
1 x 1 L CAL solution		
1 x 100 mL CaCl <sub>2</sub> stock solution		UFI: 3UWT-Q30P-K20S-1AS2
1 x 100 mL CAL stock solution		
1 x 30 mL Pyrophosphate solution		
2 x 25 mL K-1		UFI: 20RT-932P-S204-244P
1 x 12 g K-2		UFI: 42RT-S3S3-220M-QFQR
1 x 100 Indicator sticks		
1 x 100 test strips		
2 x 30 mL NH <sub>4</sub> <sup>+</sup> -1		UFI: 1MAV-U314-T205-DEXY
1 x 100 p. folded filter papers		
1 x 100 Test sticks Ammonium		
1 x 500 mL dist. water		

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

#### Uses advised against

not described

### 1.3 Details of the supplier of the safety data sheet

#### Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG  
Valenciener Str. 11, 52355 Düren, Germany  
Phone: +49 2421 969 0

E-mail: [sds@mn-net.com](mailto:sds@mn-net.com) ([msds@mn-net.com](mailto:msds@mn-net.com))

### 1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.

DE: Gemeinsames Giftinformationszentrum (GGIZ)

99089 Erfurt tel. +49 361 730 730, <<https://www.ggiz-erfurt.de>>

You find our current versions of SDS in Internet:

<<http://www.mn-net.com/SDS>>

## SECTION 2: Hazard identification

### 2.0 Classification of the complete product according to Regulation (EC) 1272/2008



GHS02



GHS05



GHS07

Signal word

DANGER



MACHEREY-NAGEL GmbH & Co. KG  
Valenciener Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601

VISOCOLOR soil case, with accessories

Page: 2/33

Printing date: 04.04.2023

Date of issue: 26.01.2023

Version: 2.2.2.25

Hazard identification	Hazard classes/categories
H225	Flam. Liq. 2
H302	Acute Tox. 4 oral
H314	Skin Corr. 1B
EUH031	031 not defined

## 2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

### 1 L CaCl<sub>2</sub> solution

Signal word	Do not need labelling as hazardous
No hazard class	-

### 100 mL CaCl<sub>2</sub> stock solution



GHS07

Signal word	WARNING
-------------	---------

Hazard identification	Hazard classes/categories
H319	Eye Irrit. 2

### 30 mL P-1



GHS05

Signal word	DANGER
-------------	--------

Hazard identification	Hazard classes/categories
H314	Skin Corr. 1B

### 25 mL K-1



GHS05

Signal word	DANGER
-------------	--------

Hazard identification	Hazard classes/categories
H314	Skin Corr. 1B

### 30 mL NH<sub>4</sub><sup>+</sup> -1



GHS05



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601

VISOCOLOR soil case, with accessories

Page: 3/33

Printing date: 04.04.2023

Date of issue: 26.01.2023

Version: 2.2.2.25

Signal word DANGER

Hazard identification	Hazard classes/categories
H314	Skin Corr. 1B

## 12 g K-2



GHS07

Signal word WARNING

Hazard identification	Hazard classes/categories
H302	Acute Tox. 4 oral
H315	Skin Irrit. 2
H319	Eye Irrit. 2

## 25 mL pH 4-10



GHS02

Signal word DANGER

Hazard identification	Hazard classes/categories
H225	Flam. Liq. 2

## 1 L CAL solution

Signal word Do not need labelling as hazardous

No hazard class -

## 100 mL CAL stock solution

Signal word Do not need labelling as hazardous

No hazard class -

## 30 mL P-K



GHS05

Signal word DANGER

Hazard identification	Hazard classes/categories
H314	Skin Corr. 1B

## 30 mL P-2



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601

VISOCOLOR soil case, with accessories

Page: 4/33

Printing date: 04.04.2023

Date of issue: 26.01.2023

Version: 2.2.2.25



GHS05

Signal word DANGER

Hazard identification	Hazard classes/categories
-----------------------	---------------------------

EUH031 H318	031 not defined Eye Dam. 1
----------------	-------------------------------

### 500 mL dist. water

Signal word Do not need labelling as hazardous

No hazard class -

### 100 Test sticks Ammonium

Signal word Do not need labelling as hazardous

No hazard class -

### 100 p. folded filter papers

Signal word Do not need labelling as hazardous

No hazard class -

### 100 test strips

Signal word Do not need labelling as hazardous

No hazard class -

### 100 Indicator sticks

Signal word Do not need labelling as hazardous

No hazard class -

### 30 mL Pyrophosphate solution

Signal word Do not need labelling as hazardous

No hazard class -

List of H phrases: see section 16.2

## 2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2). Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

### 1 L CaCl<sub>2</sub> solution

Do not need labelling as hazardous



MACHEREY-NAGEL GmbH & Co. KG  
Valenciener Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601

VISOCOLOR soil case, with accessories

Page: 5/33

Printing date: 04.04.2023

Date of issue: 26.01.2023

Version: 2.2.2.25

Signal word: -

**100 mL CaCl<sub>2</sub> stock solution**



GHS07

Signal word: WARNING

**30 mL P-1**



GHS05

Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

**25 mL K-1**



GHS05

Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

**30 mL NH<sub>4</sub><sup>+</sup> -1**



GHS05

Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

**12 g K-2**



GHS07

Signal word: WARNING

**25 mL pH 4-10**

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601

VISOCOLOR soil case, with accessories

Page: 6/33

Printing date: 04.04.2023

Date of issue: 26.01.2023

Version: 2.2.2.25



GHS02

Signal word: DANGER

**1 L CAL solution**

Do not need labelling as hazardous

Signal word: -

**100 mL CAL stock solution**

Do not need labelling as hazardous

Signal word: -

**30 mL P-K**



GHS05

Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

**30 mL P-2**



GHS05

Signal word: DANGER

H318

Causes serious eye damage.

P280sh, P305+351+338, P310

Wear protective gloves/eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

**500 mL dist. water**

Do not need labelling as hazardous

Signal word: -

**100 Test sticks Ammonium**

Do not need labelling as hazardous

Signal word: -

**100 p. folded filter papers**

Do not need labelling as hazardous

Signal word: -

**100 test strips**

Do not need labelling as hazardous

Signal word: -

**100 Indicator sticks**

Do not need labelling as hazardous

Signal word: -

**30 mL Pyrophosphate solution**

Do not need labelling as hazardous

Signal word: -



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciener Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601

VISOCOLOR soil case, with accessories

Page: 7/33

Printing date: 04.04.2023

Date of issue: 26.01.2023

Version: 2.2.2.25

## Label elements of the complete product



GHS02



GHS05

Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

## 2.3 Other hazards

### Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. Flammable properties.

### Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.

Cause after oral intake, impairments of health when ingested in small quantities.

### Information pertaining to particular risks to the environment

Avoid contact of substance/mixture to environment.

PBT: not applicable

vPvB: not applicable

### Possible endocrine disrupting effects

no data available

### Other hazards

Contains an odor intensive reagent.

## SECTION 3: Composition / information on ingredients

### 3.1 Substances or 3.2 Mixtures

#### 100 p. folded filter papers

Substance name: *cellulose paper*  
CAS No.: 9004-34-6

Substance rating: No criteria for classification or naming of chemical not required.

Formula:  $(C_6H_{10}O_5)_n$

REACH Reg. No.: exempt, Annex IV

EC No.: 232-674-9

Concentration: 90 - <100 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

#### 30 mL P-1

Substance name: *sulfuric acid*  
CAS No.: 7664-93-9

Substance rating: H314, Skin Corr. 1B

Formula:  $H_2SO_4 \cdot (H_2O)$

REACH Reg. No.: 01-2119458838-20-xxxx

EC No.: 231-639-5

Indice No.: 016-020-00-8

Specific concentration limit: Eye Irrit. 2; H319: 5 % ≤ C < 15 % - Skin Irrit. 2; H315: 5 % ≤ C < 15 % - Skin Corr 1A; H314 c ≥ 15%

Concentration: 15 - <30 %

acc. CLP (GHS): H314, Skin Corr. 1B



MACHEREY-NAGEL GmbH & Co. KG  
Valenciener Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601	VISOCOLOR soil case, with accessories	Page: 8/33
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.2.25

Substance name: *ammonium heptamolybdate*  
 CAS No.: 12054-85-2

Substance rating: No criteria for classification or naming of chemical not required.  
 Formula:  $H_{24} Mo_7 N_6 O_{24}$   
 Pseudonym (de): Ammoniummolybdat  
 REACH Reg. No.: 01-2119498057-28-xxxx  
 EC No.: 234-722-4  
 Concentration: 2 - <5 % Correlation factor: x 0.58 (= %Mo)  
 The classification refers to the weight percentage of the metal (according to CLP regulation 2008/1272/EG Annex VI, 1.1.3.2 Note 1)  
 acc. CLP (GHS): The criteria for classification are not fulfilled.

### 30 mL NH<sub>4</sub><sup>+</sup>-1

Substance name: *sodium hydroxide solution*  
 CAS No.: 1310-73-2

Substance rating: H314, Skin Corr. 1B  
 Formula:  $NaOH \cdot H_2O$   
 Pseudonym (de): Natronlauge  
 REACH Reg. No.: 01-2119457892-27-xxxx  
 EC No.: 215-185-5 Index No.: 011-002-00-6  
 Concentration: 20 - <35 %  
 acc. CLP (GHS): H314, Skin Corr. 1B

### 25 mL K-1

Substance name: *sodium hydroxide solution*  
 CAS No.: 1310-73-2

Substance rating: H314, Skin Corr. 1B  
 Formula:  $NaOH \cdot H_2O$   
 Pseudonym (de): Natronlauge  
 REACH Reg. No.: 01-2119457892-27-xxxx  
 EC No.: 215-185-5 Index No.: 011-002-00-6  
 Concentration: 2 - <5 %  
 acc. CLP (GHS): H314, Skin Corr. 1B

### 100 mL CaCl<sub>2</sub> stock solution

Substance name: *calcium chloride (dihydrate)*  
 CAS No.: 10035-04-8

Substance rating: H319, Eye Irrit. 2  
 Formula:  $CaCl_2 \cdot 2H_2O$   
 Pseudonym (de): Chlorcalcium  
 REACH Reg. No.: 01-2119494219-28-xxxx  
 EC No.: 233-140-8 Index No.: 017-013-00-2  
 Concentration: 10 - <20 %  
 acc. CLP (GHS): H319, Eye Irrit. 2

### 30 mL P-2

Substance name: *sodium disulfite*  
 CAS No.: 7681-57-4

Substance rating: H302, Acute Tox. 4 oral, H318, Eye Dam. 1, EUH031, 031 not defined  
 Formula:  $Na_2 O_5 S_2$   
 Pseudonym (de): Disulfit  
 REACH Reg. No.: 01-2119531326-45-xxxx  
 EC No.: 231-673-0 Index No.: 016-063-00-2  
 Concentration: 10 - <25 %  
 acc. CLP (GHS): H318, Eye Dam. 1, EUH031, 031 not defined





# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601

VISOCOLOR soil case, with accessories

Page: 9/33

Printing date: 04.04.2023

Date of issue: 26.01.2023

Version: 2.2.2.25

### 100 mL CAL stock solution

Substance name: *calcium acetate*  
CAS No.: 62-54-4

Substance rating: No criteria for classification or naming of chemical not required.  
Formula:  $\text{Ca}(\text{CH}_3\text{COO})_2$   
REACH Reg. No.: 01-2119987569-11-xxxx  
EC No.: 200-540-9  
Concentration: 1 - <10 %  
acc. CLP (GHS): The criteria for classification are not fulfilled.

Substance name: *acetic acid*  
CAS No.: 64-19-7

Substance rating: H226, Flam. Liq. 3, H314, Skin Corr. 1A, H318, Eye Dam. 1  
Formula:  $\text{C}_2\text{H}_4\text{O}_2$ ;  $\text{CH}_3\text{-COOH}$   
REACH Reg. No.: 01-2119475328-30-xxxx  
EC No.: 200-580-7  
Concentration: 5 - <10 %  
acc. CLP (GHS): The criteria for classification are not fulfilled.

Indice No.: 607-002-00-6

### 100 Indicator sticks

Substance name: *PVC foil (CAS 9002-86-2)*  
CAS No.: -

Substance rating: No criteria for classification or naming of chemical not required.  
Concentration: 95 - <100 %  
acc. CLP (GHS): The criteria for classification are not fulfilled.

Substance name: *indicator dye(s)*  
CAS No.: -

Substance rating: No criteria for classification or naming of chemical not required.  
Concentration: 0,01 - <0,1 %  
acc. CLP (GHS): The criteria for classification are not fulfilled.

Substance name: *cellulose paper*  
CAS No.: 9004-34-6

Substance rating: No criteria for classification or naming of chemical not required.  
Formula:  $(\text{C}_6\text{H}_{10}\text{O}_5)_n$   
REACH Reg. No.: exempt, Annex IV  
EC No.: 232-674-9  
Concentration: 1 - <10 %  
acc. CLP (GHS): The criteria for classification are not fulfilled.

### 100 test strips

Substance name: *PVC foil (CAS 9002-86-2)*  
CAS No.: -

Substance rating: No criteria for classification or naming of chemical not required.  
Concentration: 95 - <100 %  
acc. CLP (GHS): The criteria for classification are not fulfilled.



# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601

VISOCOLOR soil case, with accessories

Page: 10/33

Printing date: 04.04.2023

Date of issue: 26.01.2023

Version: 2.2.2.25

Substance name: *cellulose paper*  
 CAS No.: 9004-34-6

Substance rating: No criteria for classification or naming of chemical not required.  
 Formula:  $(C_6H_{10}O_5)_n$   
 REACH Reg. No.: exempt, Annex IV  
 EC No.: 232-674-9  
 Concentration: 1 - <10 %  
 acc. CLP (GHS): The criteria for classification are not fulfilled.

Substance name: *chemicals/mixture until 1%*  
 CAS No.: -

Substance rating: No criteria for classification or naming of chemical not required.  
 Concentration: 0,1 - <1 %  
 acc. CLP (GHS): The criteria for classification are not fulfilled.

### 100 Test sticks Ammonium

Substance name: *PVC foil (CAS 9002-86-2)*  
 CAS No.: -

Substance rating: No criteria for classification or naming of chemical not required.  
 Concentration: 95 - <100 %  
 acc. CLP (GHS): The criteria for classification are not fulfilled.

Substance name: *cellulose paper*  
 CAS No.: 9004-34-6

Substance rating: No criteria for classification or naming of chemical not required.  
 Formula:  $(C_6H_{10}O_5)_n$   
 REACH Reg. No.: exempt, Annex IV  
 EC No.: 232-674-9  
 Concentration: 1 - <10 %  
 acc. CLP (GHS): The criteria for classification are not fulfilled.

### 25 mL pH 4-10

Substance name: *indicator dye(s)*  
 CAS No.: -

Substance rating: No criteria for classification or naming of chemical not required.  
 Concentration: 0,01 - <0,1 %  
 acc. CLP (GHS): The criteria for classification are not fulfilled.

Substance name: *ethanol*  
 CAS No.: 64-17-5  
 (denatured with 1% 2-butanone / 1% 2-propanol)

Substance rating: H225, Flam. Liq. 2  
 Formula:  $C_2H_6O$ ;  $C_2H_5OH$   
 Pseudonym (de): Äthylalkohol, vergällter Spiritus  
 REACH Reg. No.: 01-2119457610-43-xxxx  
 EC No.: 200-578-6  
 Concentration: 90 - <100 %  
 acc. CLP (GHS): H225, Flam. Liq. 2

Indice No.: 603-002-00-5



# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601	VISOCOLOR soil case, with accessories	Page: 11/33
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.2.25

Substance name: *phenolphthalein (pH indicator)*  
 CAS No.: 77-09-8

Substance rating: H341, Muta. 2, H350, Carc. 1B, H361f, Repr. 2  
 Formula: C<sub>20</sub>H<sub>14</sub>O<sub>4</sub>  
 Pseudonym (de): Indikator pH 8,2-9,8  
 REACH Reg. No.: 01-2119498295-24-0000  
**SVHC listed: listed (19/12/2011) Cand. Lst. REACH Art59(10)**  
 EC No.: 201-004-7 Indice No.: 604-076-00-1  
 Concentration: 0,01 - <0,1 %  
 acc. CLP (GHS): The criteria for classification are not fulfilled.

### 12 g K-2

Substance name: *sodium tetraphenylborate*  
 CAS No.: 143-66-8

Substance rating: H301, Acute Tox. 3 oral, H315, Skin Irrit. 2, H319, Eye Irrit. 2  
 Formula: C<sub>24</sub>H<sub>20</sub>BNa  
 EC No.: 205-605-5  
 Concentration: 14 - <35 %  
 acc. CLP (GHS): H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H319, Eye Irrit. 2

### 30 mL Pyrophosphate solution

Substance name: *phosphate buffer solution*  
 CAS No.: -

Substance rating: No criteria for classification or naming of chemical not required.  
 Formula: K/Na<sub>1-3</sub>H<sub>2-0</sub>PO<sub>4</sub> · x H<sub>2</sub>O  
 Concentration: 1 - <5 %  
 acc. CLP (GHS): The criteria for classification are not fulfilled.

### 30 mL P-K

Substance name: *sulfuric acid*  
 CAS No.: 7664-93-9

Substance rating: H314, Skin Corr. 1B  
 Formula: H<sub>2</sub>SO<sub>4</sub> (·H<sub>2</sub>O)  
 REACH Reg. No.: 01-2119458838-20-xxxx  
 EC No.: 231-639-5 Indice No.: 016-020-00-8  
 Specific concentration limit: Eye Irrit. 2; H319: 5 % ≤ C < 15 % - Skin Irrit. 2; H315: 5 % ≤ C < 15 % - Skin Corr 1A; H314 c ≥ 15%  
 Concentration: 30 - <51 %  
 acc. CLP (GHS): H314, Skin Corr. 1B

### 1 L CAL solution

Substance name: *acetic acid*  
 CAS No.: 64-19-7

Substance rating: H226, Flam. Liq. 3, H314, Skin Corr. 1A, H318, Eye Dam. 1  
 Formula: C<sub>2</sub>H<sub>4</sub>O<sub>2</sub>; CH<sub>3</sub>-COOH  
 REACH Reg. No.: 01-2119475328-30-xxxx  
 EC No.: 200-580-7 Indice No.: 607-002-00-6  
 Concentration: 1 - <3 %  
 acc. CLP (GHS): The criteria for classification are not fulfilled.

### 500 mL dist. water



# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601

VISOCOLOR soil case, with accessories

Page: 12/33

Printing date: 04.04.2023

Date of issue: 26.01.2023

Version: 2.2.2.25

Substance name: *water*  
 CAS No.: 7732-18-5

Substance rating: No criteria for classification or naming of chemical not required.  
 Formula: H<sub>2</sub>O  
 REACH Reg. No.: exempt, Annex IV  
 EC No.: 231-791-2  
 Concentration: 90 - <100 %  
 acc. CLP (GHS): The criteria for classification are not fulfilled.

## 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%. List of H and P phrases: see section 16.2.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor.

#### 4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

#### 4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

#### 4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. ---

#### 4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences.

### 4.2 Most important symptoms and effects, both acute and delayed

Rapid penetration and destruction of the skin. Especially in the heated form.  
 Causes severe skin burns and eye damage.

### 4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTRESSES ensure that the patient inhales oxygen. ---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### 5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

#### 5.1.2 Unsuitable extinguishing media

no data available

### 5.2 Special hazards arising from the substance or mixture

DANGER: Highly flammable (GHS regulation). Forms explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible.

### 5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciener Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
 CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
 FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
 US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601

VISOCOLOR soil case, with accessories

Page: 13/33

Printing date: 04.04.2023

Date of issue: 26.01.2023

Version: 2.2.2.25

## 5.4 Additional information

Danger for environment **only in the event of a large-scale leakage** or formation of hazardous substances.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

### 6.2 Environmental precautions

Avoid contact of substance/mixture to environment.

**PBT:** not applicable

**vPvB:** not applicable

### 6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.

### 6.4 Reference to other sections

see information in section 5.4,7,8 and 13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

### 7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging. Storage class (German chemical industry): see chapter 12.1

**Storage class (VCI):** 3

**Water hazard class (DE):** 3

### 7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

### 7.3 Specific end use(s)

Product for analytical use.

## SECTION 8: Exposure controls /personal protection

### 8.1 Control parameters

#### 100 p. folded filter papers

Chemical: *cellulose paper*

CAS No.: 9004-34-6

TRGS 900 (DE): Staub 1.25 A / 4 E mg/m<sup>3</sup>  
E/e respirable

SUVA(CH) MAK value: 3 a ppm

NIOSH: TWA 10 (total) / 5 (resp) mg/m<sup>3</sup>

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: TWA 15 (total) / 5 (resp) mg/m<sup>3</sup>

#### 30 mL P-1

Chemical: *sulfuric acid*

CAS No.: 7664-93-9

DNEL: [inh] 50 µg/m<sup>3</sup>

DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 2.5 µg/L

PNEC = Predicted No Effect Concentration

EU value: 0.1 e mg/m<sup>3</sup>

TRGS 900 (DE): 0.1 E mg/m<sup>3</sup>

E/e respirable

Short-term exposure factor: 1 (I), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 0,1 e mg/m<sup>3</sup>



MACHEREY-NAGEL GmbH & Co. KG  
Valencienner Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601	VISOCOLOR soil case, with accessories	Page: 14/33
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.2.25

NIOSH: NTP Report on Carcinogens (RoC) List Yes (Known to be a human carcinogen); [TWA] 1 mg/m<sup>3</sup>  
 [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 1 mg/m<sup>3</sup>

Chemical: *ammonium heptamolybdate* CAS No.: 12054-85-2

TRGS 900 (DE): [Mo] 5 E mg/m<sup>3</sup>  
 E/e respirable

SUVA(CH) MAK value: [Mo] 5 e mg/m<sup>3</sup>

### 30 mL NH<sub>4</sub><sup>+</sup> -1

Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2

DNEL: [inh] 1 mg/m<sup>3</sup>  
 DNEL = Derived No-Effect Level (for workers)

TRGS 900 (DE): 2 mg/m<sup>3</sup>  
 E/e respirable

Short-term exposure factor: (=1=, Y)  
 skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 2 e mg/m<sup>3</sup>

NIOSH: 2 mg/m<sup>3</sup>  
 [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 2 mg/m<sup>3</sup>

### 25 mL K-1

Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2

DNEL: [inh] 1 mg/m<sup>3</sup>  
 DNEL = Derived No-Effect Level (for workers)

TRGS 900 (DE): 2 mg/m<sup>3</sup>  
 E/e respirable

Short-term exposure factor: (=1=, Y)  
 skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 2 e mg/m<sup>3</sup>

NIOSH: 2 mg/m<sup>3</sup>  
 [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 2 mg/m<sup>3</sup>

### 100 mL CaCl<sub>2</sub> stock solution

Chemical: *calcium chloride (dihydrate)* CAS No.: 10035-04-8

### 30 mL P-2

Chemical: *sodium disulfite* CAS No.: 7681-57-4

DNEL: [inh] 225 mg/m<sup>3</sup>  
 DNEL = Derived No-Effect Level (for workers)

TRGS 900 (DE): -  
 E/e respirable

SUVA(CH) MAK value: 5 e mg/m<sup>3</sup>

NIOSH: [TWA] 5 mg/m<sup>3</sup>  
 [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: none

### 100 mL CAL stock solution

Chemical: *calcium acetate* CAS No.: 62-54-4

Chemical: *acetic acid* CAS No.: 64-19-7

DNEL: [loc, inh] 25 mg/m<sup>3</sup>  
 DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 3.058 mg/L  
 PNEC = Predicted No Effect Concentration

EU value: [TWA] 25 / [STEL] 50 mg/m<sup>3</sup>

TRGS 900 (DE): 10 mL/m<sup>3</sup> / 25 mg/m<sup>3</sup>  
 E/e respirable

Short-term exposure factor: 2(l), Y  
 skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 10 ppm / 25 mg/m<sup>3</sup>

NIOSH: [TWA] 10 ppm / 25 mg/m<sup>3</sup> ; [STEL] 15 ppm / 37 mg/m<sup>3</sup>  
 [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 10 ppm / 25 mg/m<sup>3</sup>



# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601	VISOCOLOR soil case, with accessories	Page: 15/33
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.2.25

**100 Indicator sticks**

Chemical: *PVC foil (CAS 9002-86-2)* CAS No.: -  
 Chemical: *indicator dye(s)* CAS No.: -  
 Chemical: *cellulose paper* CAS No.: 9004-34-6  
 TRGS 900 (DE): Staub 1.25 A / 4 E mg/m<sup>3</sup>  
 E/e respirable  
 SUVA(CH) MAK value: 3 a ppm  
 NIOSH: TWA 10 (total) / 5 (resp) mg/m<sup>3</sup>  
 [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period  
 OSHA: TWA 15 (total) / 5 (resp) mg/m<sup>3</sup>

**100 test strips**

Chemical: *PVC foil (CAS 9002-86-2)* CAS No.: -  
 Chemical: *cellulose paper* CAS No.: 9004-34-6  
 TRGS 900 (DE): Staub 1.25 A / 4 E mg/m<sup>3</sup>  
 E/e respirable  
 SUVA(CH) MAK value: 3 a ppm  
 NIOSH: TWA 10 (total) / 5 (resp) mg/m<sup>3</sup>  
 [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period  
 OSHA: TWA 15 (total) / 5 (resp) mg/m<sup>3</sup>

Chemical: *chemicals/mixture until 1%* CAS No.: -

**100 Test sticks Ammonium**

Chemical: *PVC foil (CAS 9002-86-2)* CAS No.: -  
 Chemical: *cellulose paper* CAS No.: 9004-34-6  
 TRGS 900 (DE): Staub 1.25 A / 4 E mg/m<sup>3</sup>  
 E/e respirable  
 SUVA(CH) MAK value: 3 a ppm  
 NIOSH: TWA 10 (total) / 5 (resp) mg/m<sup>3</sup>  
 [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period  
 OSHA: TWA 15 (total) / 5 (resp) mg/m<sup>3</sup>

**25 mL pH 4-10**

Chemical: *indicator dye(s)* CAS No.: -  
 Chemical: *ethanol* CAS No.: 64-17-5  
 DNEL: [derm] 343 mg/kg; [inh] 950 mg/m<sup>3</sup>  
 DNEL = Derived No-Effect Level (for workers)  
 PNEC (fresh water): 0.96 mg/L  
 PNEC = Predicted No Effect Concentration  
 TRGS 900 (DE): 200 mL/m<sup>3</sup> / 380 mg/m<sup>3</sup>  
 E/e respirable  
 Short-term exposure factor: 4 (II), Y  
 skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded  
 SUVA(CH) MAK value: 500 ppm / 960 mg/m<sup>3</sup>  
 NIOSH: [TWA] 1000 ppm / 1900 mg/m<sup>3</sup>  
 [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period  
 OSHA: [TWA] 1000 ppm / 1900 mg/m<sup>3</sup>  
 Chemical: *phenolphthalein (pH indicator)* CAS No.: 77-09-8  
 NIOSH: not listed, NTP Report on Carcinogens (RoC) List Yes (Reasonably anticipated to be a human carcinogen)  
 [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period  
 OSHA: not listed

**12 g K-2**

Chemical: *sodium tetraphenylborate* CAS No.: 143-66-8



# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601	VISOCOLOR soil case, with accessories	Page: 16/33
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.2.25

**30 mL Pyrophosphate solution**

Chemical: *phosphate buffer solution*

CAS No.: -

**30 mL P-K**

Chemical: *sulfuric acid*

CAS No.: 7664-93-9

DNEL: [inh] 50 µg/m<sup>3</sup>  
DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 2.5 µg/L  
PNEC = Predicted No Effect Concentration

EU value: 0.1 e mg/m<sup>3</sup>

TRGS 900 (DE): 0.1 E mg/m<sup>3</sup>  
E/e respirable

Short-term exposure factor: 1 (I), Y  
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 0,1 e mg/m<sup>3</sup>

NIOSH: NTP Report on Carcinogens (RoC) List Yes (Known to be a human carcinogen); [TWA] 1 mg/m<sup>3</sup>  
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 1 mg/m<sup>3</sup>

**1 L CAL solution**

Chemical: *acetic acid*

CAS No.: 64-19-7

DNEL: [loc, inh] 25 mg/m<sup>3</sup>  
DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 3.058 mg/L  
PNEC = Predicted No Effect Concentration

EU value: [TWA] 25 / [STEL] 50 mg/m<sup>3</sup>

TRGS 900 (DE): 10 mL/m<sup>3</sup> / 25 mg/m<sup>3</sup>  
E/e respirable

Short-term exposure factor: 2(I), Y  
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 10 ppm / 25 mg/m<sup>3</sup>

NIOSH: [TWA] 10 ppm / 25 mg/m<sup>3</sup> ; [STEL] 15 ppm / 37 mg/m<sup>3</sup>  
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 10 ppm / 25 mg/m<sup>3</sup>

**500 mL dist. water**

Chemical: *water*

CAS No.: 7732-18-5

## 8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

### 8.2.1 Respiratory protection

No additional recommendations.

### 8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

### 8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

### 8.2.4 Skin protection

Recommended to avoid clothing damage, and to avoid contamination with these hazards.

### 8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

### 8.2.6 Thermal hazards

no data available

## 8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.





# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601

VISOCOLOR soil case, with accessories

Page: 17/33

Printing date: 04.04.2023

Date of issue: 26.01.2023

Version: 2.2.2.25

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### 100 p. folded filter papers

a) State of aggregation:	solid
b) Colour:	colourless
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	no data available
l) Kinematic viscosity:	no data available
m) Solubility in water:	0 %
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

#### 30 mL P-1

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	0-1
l) Kinematic viscosity:	no data available
m) Solubility in water:	0-100 %
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	1,21 g/cm <sup>3</sup>
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

#### 30 mL NH<sub>4</sub><sup>+</sup> -1

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	14
l) Kinematic viscosity:	no data available
m) Solubility in water:	0-100 %
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	1,35 g/mL
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available



# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601

VISOCOLOR soil case, with accessories

Page: 18/33

Printing date: 04.04.2023

Date of issue: 26.01.2023

Version: 2.2.2.25

**25 mL K-1**

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	12-13
l) Kinematic viscosity:	no data available
m) Solubility in water:	0-100 %
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	1,04 g/cm <sup>3</sup>
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

**100 mL CaCl<sub>2</sub> stock solution**

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	6-8
l) Kinematic viscosity:	no data available
m) Solubility in water:	0-100 %
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

**30 mL P-2**

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	penetrative
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	5-7
l) Kinematic viscosity:	no data available
m) Solubility in water:	0-100 %
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

**100 mL CAL stock solution**

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	acetic
d) Melting point:	no data available



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciennes Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601

VISOCOLOR soil case, with accessories

Page: 19/33

Printing date: 04.04.2023

Date of issue: 26.01.2023

Version: 2.2.2.25

e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	2-3
l) Kinematic viscosity:	no data available
m) Solubility in water:	0-100 %
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	1,02 g/cm³
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

**100 Indicator sticks**

a) State of aggregation:	solid
b) Colour:	colored
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	no data available
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

**100 test strips**

a) State of aggregation:	solid
b) Colour:	colored
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	no data available
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

**100 Test sticks Ammonium**

a) State of aggregation:	solid
b) Colour:	yellow
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciennes Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601

VISOCOLOR soil case, with accessories

Page: 20/33

Printing date: 04.04.2023

Date of issue: 26.01.2023

Version: 2.2.2.25

i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	no data available
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

**25 mL pH 4-10**

a) State of aggregation:	liquid
b) Colour:	red
c) Odor:	alcoholic
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	18 °C
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	6-8
l) Kinematic viscosity:	no data available
m) Solubility in water:	0-100 %
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	0,79 g/cm³
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

**12 g K-2**

a) State of aggregation:	powder (solid)
b) Colour:	colourless
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	6-8 (10%)
l) Kinematic viscosity:	no data available
m) Solubility in water:	0-30 %
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

**30 mL Pyrophosphate solution**

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	9-10
l) Kinematic viscosity:	no data available



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciener Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601

VISOCOLOR soil case, with accessories

Page: 21/33

Printing date: 04.04.2023

Date of issue: 26.01.2023

Version: 2.2.2.25

m) Solubility in water:	0-100 %
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

### 30 mL P-K

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	0-1
l) Kinematic viscosity:	no data available
m) Solubility in water:	0-100 %
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	1,22 g/cm³
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

### 1 L CAL solution

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	acetic
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	2-3
l) Kinematic viscosity:	no data available
m) Solubility in water:	0-100 %
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

### 500 mL dist. water

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	6-8
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	1,00 g/cm³



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciennes Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601

VISOCOLOR soil case, with accessories

Page: 22/33

Printing date: 04.04.2023

Date of issue: 26.01.2023

Version: 2.2.2.25

q) Relative vapour density (air=1) :

no data available

r) Particle size:

no data available

## 9.2 Other information

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

### Properties relevant to substance groups

Substances are highly volatile and form flammable gas-air mixtures. Substances are highly corrosive.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

no further data available.

### 10.2 Chemical stability

no known instability.

### 10.3 Possibility of hazardous reactions

Can react violently with organic material. No further data available.

### 10.4 Conditions to avoid

No more required.

### 10.5 Incompatible materials

no additional data available

### 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## SECTION 11: Toxicological information

### 11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

#### 100 p. folded filter papers

Chemical:	<i>cellulose paper</i>	CAS No.:	9004-34-6
TSCA Inventory:	listed	California Proposition 65 List:	not listed
Exposure Routes:	inhalation, skin and/or eye contact		
Target Organs:	Eyes, skin, respiratory system		
Symptoms:	irritation eyes, skin, mucous membrane		
Australia NICNAS:	not listed	Canada CEPA 1999:	DSL yes
Japan CSCL/PRTR:	not listed, Japan PDSCL:	not listed	
Japan ISHL:	not listed		
South Korea TCCA:	not listed		
Korea Exist.Chem.Inventory:	KE-05339		
LD50 orl rat :	> 5000 mg/kg		
LC50 inh rat :	> 5,800 mg/L/4H		

#### 30 mL P-1

Chemical:	<i>sulfuric acid</i>	CAS No.:	7664-93-9
TSCA Inventory:	listed	California Proposition 65 List:	not listed
ACGIH:	1 ppm		
Exposure Routes:	inhalation, ingestion, skin and/or eye contact		
Target Organs:	Eyes, skin, respiratory system, teeth		
Symptoms:	irritation eyes, skin, nose, throat; pulmonary edema, bronchitis; emphysema; conjunctivitis; stomatis;		
dental erosion; eye, skin burns; dermatitis			
Australia NICNAS:	not listed	Canada CEPA 1999:	DSL Yes
Japan CSCL/PRTR:	not listed, Japan PDSCL: Deleterious Substance		
Japan ISHL:	listed $\geq 1,0\%$ / $\geq 1,0\%$ , Article 57-2 (SDS required)		
South Korea TCCA:	Accident Precaution Chemical Yes		
Korea Exist.Chem.Inventory:	KE-32570, >10% Toxic 97-1-405, Acc. Precaution Chem.		
LD50 orl rat :	2140 mg/kg		
LC50 inh mus :	0,85 mg/L/4H		



MACHEREY-NAGEL GmbH & Co. KG  
Valencienner Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601	VISOCOLOR soil case, with accessories	Page: 23/33
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.2.25

TRGS 905 (DE): Kat 4

Chemical: *ammonium heptamolybdate* CAS No.: 12054-85-2  
 TSCA Inventory: listed (CAS 11098-84-3)  
 Japan ISHL: listed  $\geq 1,0\%$ / $\geq 0,1\%$ ,  
 Korea Exist.Chem.Inventory: not listed  
 LD50 orl rat : 2000-5000 mg/kg  
 LD50 ihl rat : 1,930-5,840 mg/L/4H

### 30 mL NH<sub>4</sub><sup>+</sup>-1

Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2  
 TSCA Inventory: listed California Proposition 65 List: not listed  
 Exposure Routes: inhalation, ingestion, skin and/or eye contact  
 Target Organs: Eyes, skin, respiratory system  
 Symptoms: irritation eyes, skin, mucous membrane; pneumonitis; eye, skin burns; temporary loss of hair  
 Australia NICNAS: not listed Canada CEPA 1999: DSL Yes  
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed  
 Japan ISHL: listed  $\geq 1,0\%$ / $\geq 1,0\%$ , Article 57-2 (SDS required)  
 South Korea TCCA: not listed  
 Korea Exist.Chem.Inventory: KE-31487  
 LD50 orl rat : [40%] 1250 / [<25%] >2000 mg/kg  
 LD50 orl mus : 40 mg/kg

### 25 mL K-1

Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2  
 TSCA Inventory: listed California Proposition 65 List: not listed  
 Exposure Routes: inhalation, ingestion, skin and/or eye contact  
 Target Organs: Eyes, skin, respiratory system  
 Symptoms: irritation eyes, skin, mucous membrane; pneumonitis; eye, skin burns; temporary loss of hair  
 Australia NICNAS: not listed Canada CEPA 1999: DSL Yes  
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed  
 Japan ISHL: listed  $\geq 1,0\%$ / $\geq 1,0\%$ , Article 57-2 (SDS required)  
 South Korea TCCA: not listed  
 Korea Exist.Chem.Inventory: KE-31487  
 LD50 orl rat : [40%] 1250 / [<25%] >2000 mg/kg  
 LD50 orl mus : 40 mg/kg

### 100 mL CaCl<sub>2</sub> stock solution

Chemical: *calcium chloride (dihydrate)* CAS No.: 10035-04-8  
 TSCA Inventory: listed (CAS 10043-52-4)  
 Korea Exist.Chem.Inventory: KE-04496  
 LD50 orl rat : 1000 mg/kg

### 30 mL P-2

Chemical: *sodium disulfite* CAS No.: 7681-57-4  
 TSCA Inventory: listed California Proposition 65 List: not listed  
 Exposure Routes: inhalation, ingestion, skin and/or eye contact  
 Target Organs: Eyes, skin, respiratory system  
 Symptoms: irritation eyes, skin, mucous membrane  
 Australia NICNAS: not listed Canada CEPA 1999: DSL yes  
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed  
 Japan ISHL: listed  $\geq 1,0\%$ / $\geq 1,0\%$ , Article 57-2 (SDS required)  
 South Korea TCCA: not listed  
 Korea Exist.Chem.Inventory: KE-12701  
 LD50 orl rat : 1540 mg/kg

### 100 mL CAL stock solution



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciener Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601	VISOCOLOR soil case, with accessories	Page: 24/33
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.2.25

Chemical: *calcium acetate* CAS No.: 62-54-4  
 TSCA Inventory: listed  
 LD50 orl rat : 4280 mg/kg

Chemical: *acetic acid* CAS No.: 64-19-7  
 TSCA Inventory: listed California Proposition 65 List: not listed  
 Exposure Routes: inhalation, skin and/or eye contact  
 Target Organs: Eyes, skin, respiratory system, teeth  
 Symptoms: irritation eyes, skin, nose, throat; eye, skin burns; skin sensitization; dental erosion; black skin, hyperkeratosis; conjunctivitis, lacrimation (di  
 Australia NICNAS: not listed Canada CEPA 1999: DSL Yes  
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed  
 Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)  
 South Korea TCCA: not listed  
 Korea Exist.Chem.Inventory: KE-00013  
 LD50 orl rat : 3310 mg/kg  
 LD50 orl mus : 4960 mg/kg

**100 Indicator sticks**

Chemical: *PVC foil (CAS 9002-86-2)* CAS No.: -  
 TSCA Inventory: listed

Chemical: *indicator dye(s)* CAS No.: -  
 TSCA Inventory: all listed, <1%

Chemical: *cellulose paper* CAS No.: 9004-34-6  
 TSCA Inventory: listed California Proposition 65 List: not listed  
 Exposure Routes: inhalation, skin and/or eye contact  
 Target Organs: Eyes, skin, respiratory system  
 Symptoms: irritation eyes, skin, mucous membrane  
 Australia NICNAS: not listed Canada CEPA 1999: DSL yes  
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed  
 Japan ISHL: not listed  
 South Korea TCCA: not listed  
 Korea Exist.Chem.Inventory: KE-05339  
 LD50 orl rat : > 5000 mg/kg  
 LC50 ihl rat : > 5,800 mg/L/4H

**100 test strips**

Chemical: *PVC foil (CAS 9002-86-2)* CAS No.: -  
 TSCA Inventory: listed

Chemical: *cellulose paper* CAS No.: 9004-34-6  
 TSCA Inventory: listed California Proposition 65 List: not listed  
 Exposure Routes: inhalation, skin and/or eye contact  
 Target Organs: Eyes, skin, respiratory system  
 Symptoms: irritation eyes, skin, mucous membrane  
 Australia NICNAS: not listed Canada CEPA 1999: DSL yes  
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed  
 Japan ISHL: not listed  
 South Korea TCCA: not listed  
 Korea Exist.Chem.Inventory: KE-05339  
 LD50 orl rat : > 5000 mg/kg  
 LC50 ihl rat : > 5,800 mg/L/4H

Chemical: *chemicals/mixture until 1%* CAS No.: -  
 TSCA Inventory: all listed, <1%  
 Korea Exist.Chem.Inventory: listed





# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601	VISOCOLOR soil case, with accessories	Page: 25/33
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.2.25

**100 Test sticks Ammonium**

Chemical: *PVC foil (CAS 9002-86-2)* CAS No.: -  
 TSCA Inventory: listed

Chemical: *cellulose paper* CAS No.: 9004-34-6  
 TSCA Inventory: listed California Proposition 65 List: not listed  
 Exposure Routes: inhalation, skin and/or eye contact  
 Target Organs: Eyes, skin, respiratory system  
 Symptoms: irritation eyes, skin, mucous membrane  
 Australia NICNAS: not listed Canada CEPA 1999: DSL yes  
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed  
 Japan ISHL: not listed  
 South Korea TCCA: not listed  
 Korea Exist.Chem.Inventory: KE-05339  
 LD50 orl rat : > 5000 mg/kg  
 LC50 ihl rat : > 5,800 mg/L/4H

**25 mL pH 4-10**

Chemical: *indicator dye(s)* CAS No.: -  
 TSCA Inventory: all listed, <1%

Chemical: *ethanol* CAS No.: 64-17-5  
 TSCA Inventory: listed California Proposition 65 List: not listed  
 ACGIH: 1000 ppm  
 Exposure Routes: inhalation, ingestion, skin and/or eye contact  
 Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system  
 Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough;  
 liver damage: anemia; reproductive, teratogenic  
 Australia NICNAS: not listed Canada CEPA 1999: DSL yes  
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed  
 Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)  
 South Korea TCCA: not listed  
 Korea Exist.Chem.Inventory: KE-13217  
 LD50 orl rat : 6200 mg/kg  
 LC<sub>Low</sub> ihl gpg : 21,900 mg/L  
 LC<sub>Low</sub> orl hmn : 1400 mg/kg  
 LC50 ihl mus : 123,4 mg/L/4H  
 LC50 ihl rat : 115,9-133,8 mg/L/4H  
 LD50 orl mus : 3450 mg/kg

TRGS 905 (DE): K5, M5, R<sub>F</sub> C

Chemical: *phenolphthalein (pH indicator)* CAS No.: 77-09-8  
 TSCA Inventory: listed California Proposition 65 List: listed, cancer  
 Australia NICNAS: not listed Canada CEPA 1999: DSL yes  
 Japan CSCL/PRTR: PRTR - Class II Designated Chemical Substance, Japan PDSCL: not listed  
 Japan ISHL: not listed  
 South Korea TCCA: not listed  
 Korea Exist.Chem.Inventory: KE-03234  
 LD50 orl rat : > 1000 mg/kg

EU carcinogen: Carcinogenicity cat. 2, Germ Cell Mutagenicity cat. 3, >5% Reproductive Toxicity cat. 3  
 TRGS 905 (DE): Karzinogenität Kat. 2

**12 g K-2**

Chemical: *sodium tetraphenylborate* CAS No.: 143-66-8  
 TSCA Inventory: listed  
 Japan CSCL/PRTR: PRTR: >1,0% B class I  
 Korea Exist.Chem.Inventory: KE-31629  
 LD50 orl rat : 288 mg/kg  
 Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.



# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601	VISOCOLOR soil case, with accessories	Page: 26/33
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.2.25

### 30 mL Pyrophosphate solution

Chemical: *phosphate buffer solution* CAS No.: -  
 TSCA Inventory: all listed  
 Korea Exist.Chem.Inventory: listed

### 30 mL P-K

Chemical: *sulfuric acid* CAS No.: 7664-93-9  
 TSCA Inventory: listed California Proposition 65 List: not listed  
 ACGIH: 1 ppm  
 Exposure Routes: inhalation, ingestion, skin and/or eye contact  
 Target Organs: Eyes, skin, respiratory system, teeth  
 Symptoms: irritation eyes, skin, nose, throat; pulmonary edema, bronchitis; emphysema; conjunctivitis; stomatis;  
 dental erosion; eye, skin burns; dermatitis  
 Australia NICNAS: not listed Canada CEPA 1999: DSL Yes  
 Japan CSCL/PRTR: not listed, Japan PDSCl: Deleterious Substance  
 Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)  
 South Korea TCCA: Accident Precaution Chemical Yes  
 Korea Exist.Chem.Inventory: KE-32570, >10% Toxic 97-1-405, Acc. Precaution Chem.  
 LD50 orl rat : 2140 mg/kg  
 LC50 ihl mus : 0,85 mg/L/4H  
 TRGS 905 (DE): Kat 4

### 1 L CAL solution

Chemical: *acetic acid* CAS No.: 64-19-7  
 TSCA Inventory: listed California Proposition 65 List: not listed  
 Exposure Routes: inhalation, skin and/or eye contact  
 Target Organs: Eyes, skin, respiratory system, teeth  
 Symptoms: irritation eyes, skin, nose, throat; eye, skin burns; skin sensitization; dental erosion; black skin,  
 hyperkeratosis; conjunctivitis, lacrimation (di  
 Australia NICNAS: not listed Canada CEPA 1999: DSL Yes  
 Japan CSCL/PRTR: not listed, Japan PDSCl: not listed  
 Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)  
 South Korea TCCA: not listed  
 Korea Exist.Chem.Inventory: KE-00013  
 LD50 orl rat : 3310 mg/kg  
 LD50 orl mus : 4960 mg/kg

### 500 mL dist. water

Chemical: *water* CAS No.: 7732-18-5  
 TSCA Inventory: listed  
 Korea Exist.Chem.Inventory: KE-35400  
 LD50 orl rat : > 90000 mg/kg

## 11.2 Other hazards

#### Possible endocrine disrupting effects

no data available

#### Other information

no additional data available

## SECTION 12: Ecological information

### 12.1 Toxicity

Following information is valid for pure substances.

#### 100 p. folded filter papers

Chemical: *cellulose paper* CAS No.: 9004-34-6  
 Water hazard class (DE): nwg  
 Storage class (VCI): 11



# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601	VISOCOLOR soil case, with accessories	Page: 27/33
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.2.25

**30 mL P-1**

Chemical: *sulfuric acid* CAS No.: 7664-93-9  
 Avoid contact of substance/mixture to environment.  
 PNEC (fresh water) : 2.5 µg/L  
 PNEC = Predicted No Effected Concentration  
 LC50 fish/96h : [NOEC, 65d] 25 µg/L  
 EC50 daphnia/48h : 100 mg/L  
 EC10 pseudomonas putita/16h : [72h] 100 mg/L  
 Water hazard class (DE): 1 WGK No.: 0182  
 Storage class (VCI): 8 B

Chemical: *ammonium heptamolybdate* CAS No.: 12054-85-2  
 Water hazard class (DE): 1 WGK No.: 0637  
 Storage class (VCI): 12-13

**30 mL NH<sub>4</sub><sup>+</sup>-1**

Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2  
 Avoid contact of substance/mixture to environment.  
 LC50 leuciscus idus/96h : 35-189 mg/L  
 LC50 fish/96h : 45.4 mg/L  
 EC50 daphnia/48h : >100 mg/L  
 Water hazard class (DE): 1 WGK No.: 142  
 Storage class (VCI): 8 B

**25 mL K-1**

Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2  
 Avoid contact of substance/mixture to environment.  
 LC50 leuciscus idus/96h : 35-189 mg/L  
 LC50 fish/96h : 45.4 mg/L  
 EC50 daphnia/48h : >100 mg/L  
 Water hazard class (DE): 1 WGK No.: 142  
 Storage class (VCI): 8 B

**100 mL CaCl<sub>2</sub> stock solution**

Chemical: *calcium chloride (dihydrate)* CAS No.: 10035-04-8  
 LC50 daphnia magna/48h : 3005 mg/L  
 LC50 fish/96h : 10.65 g/L  
 IC50 scenedesmus quadricauda/72h : 3130 mg/L  
 Water hazard class (DE): 1 WGK No.: 0220  
 Storage class (VCI): 12-13

**30 mL P-2**

Chemical: *sodium disulfite* CAS No.: 7681-57-4  
 LC50 fish/96h : 150-220 mg/L  
 EC50 daphnia/48h : 89 mg/L  
 IC50 scenedesmus quadricauda/72h : 48 mg/L  
 Water hazard class (DE): 1 WGK No.: 1169  
 Storage class (VCI): 8 B

**100 mL CAL stock solution**

Chemical: *calcium acetate* CAS No.: 62-54-4  
 Water hazard class (DE): 1  
 Storage class (VCI): 12-13

Chemical: *acetic acid* CAS No.: 64-19-7  
 PNEC (fresh water) : 3.058 mg/L  
 PNEC = Predicted No Effected Concentration  
 LC50 fish/96h : [4d] 301-1000 mg/L  
 EC50 daphnia/48h : 301-1000 mg/L  
 IC50 scenedesmus quadricauda/72h : 301-1000 mg/L  
 Water hazard class (DE): 1 WGK No.: 0093  
 Dispersion coefficient (o/w) : -0,17  
 Storage class (VCI): 8 B



# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601	VISOCOLOR soil case, with accessories	Page: 28/33
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.2.25

**100 Indicator sticks**

Chemical:	<i>PVC foil (CAS 9002-86-2)</i>	CAS No.: -
Chemical:	<i>indicator dye(s)</i>	CAS No.: -
Storage class (VCI):	12-13	
Chemical:	<i>cellulose paper</i>	CAS No.: 9004-34-6
Water hazard class (DE):	nwg	
Storage class (VCI):	11	

**100 test strips**

Chemical:	<i>PVC foil (CAS 9002-86-2)</i>	CAS No.: -
Chemical:	<i>cellulose paper</i>	CAS No.: 9004-34-6
Water hazard class (DE):	nwg	
Storage class (VCI):	11	
Chemical:	<i>chemicals/mixture until 1%</i>	CAS No.: -
Water hazard class (DE):	1	
Storage class (VCI):	12-13	

**100 Test sticks Ammonium**

Chemical:	<i>PVC foil (CAS 9002-86-2)</i>	CAS No.: -
Chemical:	<i>cellulose paper</i>	CAS No.: 9004-34-6
Water hazard class (DE):	nwg	
Storage class (VCI):	11	

**25 mL pH 4-10**

Chemical:	<i>indicator dye(s)</i>	CAS No.: -
Storage class (VCI):	12-13	
Chemical:	<i>ethanol</i>	CAS No.: 64-17-5
PNEC (fresh water) :	0.96 mg/L	
PNEC = Predicted No Effected Concentration		
LC50 daphnia magna/48h :	>100 mg/L	
LC50 pimephales promelas/96h :	13400 - 15100 mg/L	
LC50 leuciscus idus/96h :	[48h] 8140 mg/L	
LC50 fish/96h :	13 g/L	
EC50 daphnia/48h :	9.3-14.2 g/L	
IC50 scenedesmus quadricauda/72h :	[7d] 5000 mg/L	
EC10 pseudomonas putita/16h :	[EC5] 6500 mg/L	
Water hazard class (DE):	1	WGK No.: 0096
Dispersion coefficient (o/w) :	-0,31	
Storage class (VCI):	3	
Chemical:	<i>phenolphthalein (pH indicator)</i>	CAS No.: 77-09-8
Water hazard class (DE):	1	
Dispersion coefficient (o/w) :	0,9	
Storage class (VCI):	12-13	

**12 g K-2**

Chemical:	<i>sodium tetraphenylborate</i>	CAS No.: 143-66-8
Water hazard class (DE):	3	
Storage class (VCI):	12-13	

**30 mL Pyrophosphate solution**

Chemical:	<i>phosphate buffer solution</i>	CAS No.: -
Water hazard class (DE):	1	
Storage class (VCI):	12	

**30 mL P-K**

Chemical:	<i>sulfuric acid</i>	CAS No.: 7664-93-9
Avoid contact of substance/mixture to environment.		
PNEC (fresh water) :	2.5 µg/L	
PNEC = Predicted No Effected Concentration		
LC50 fish/96h :	[NOEC, 65d] 25 µg/L	



# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601

VISOCOLOR soil case, with accessories

Page: 29/33

Printing date: 04.04.2023

Date of issue: 26.01.2023

Version: 2.2.2.25

EC50 daphnia/48h : 100 mg/L  
 EC10 pseudomonas putita/16h : [72h] 100 mg/L  
 Water hazard class (DE): 1 WGK No.: 0182  
 Storage class (VCI): 8 B

## 1 L CAL solution

Chemical: *acetic acid* CAS No.: 64-19-7  
 PNEC (fresh water) : 3.058 mg/L  
 PNEC = Predicted No Effect Concentration  
 LC50 fish/96h : [4d] 301-1000 mg/L  
 EC50 daphnia/48h : 301-1000 mg/L  
 IC50 scenedesmus quadricauda/72h : 301-1000 mg/L  
 Water hazard class (DE): 1 WGK No.: 0093  
 Dispersion coefficient (o/w) : -0,17  
 Storage class (VCI): 8 B

## 500 mL dist. water

Chemical: *water* CAS No.: 7732-18-5

### 12.2 Persistence and degradability

not necessary

### 12.3 Bioaccumulative potential

not necessary

### 12.4 Mobility in soil

not necessary

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

### 12.6 Endocrine disrupting properties

no data available

### 12.7 Other adverse effects

no additional data available

## SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

### 13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains. Empty containers of corrosive reagents prior to disposal, rinse with water.

## SECTION 14: Transport information

14.1. UN number: 3316

14.2. UN proper shipping name: Chemical Kit

14.3. Class: 9 14.4. Packing group: II

Road transport ADR

Classification code: M11 Tunnel restriction code: E

Limited Quantity: acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation

Air transport ICAO

PAX: 960 max. weight PAX: 10 KG

CAO: 960 max. weight CAO: 10 KG

Maritime transport IMDG

EmS: F-A, S-P Storage category: A

Or use **Alternative declaration for transportation:**

UN No.: (see below) UN 1993 class 3 II, class 8 II, **Excepted Quantities** ( $\leq 30 \text{ mL} / \sum \leq 500 \text{ mL}$ ) = ADR/ IATA E2

or



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
 CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
 FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
 US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931601	VISOCOLOR soil case, with accessories	Page: 30/33
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.2.25

**14.1 UN number: 1993**    **14.2 UN proper shipping name: Flammable liquid, n.o.s. (ethanol mixture)**  
**14.3 Class: 3**    **14.4 Packing group: II**

Road transport ADR

Classification code: F1  
 Limited Quantity: 1 L    Tunnel restriction code: E  
 Excepted Quantity: E 2    Special instructions: 640C

Air transport ICAO

Limited Quantity: LQ 4  
 Excepted Quantity: E 2  
 PAX: 353    max. weight PAX: 5 L  
 CAO: 364    max. weight CAO: 60 L

Maritime transport IMDG

EmS: F-E, S-E    Storage category: B

**14.1 UN number: 3264**    **14.2 UN proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (sodium disulfite, sulfuric acid solution)**  
**14.3 Class: 8**    **14.4 Packing group: II**

Road transport ADR

Classification code: C1  
 Limited Quantity: 1 L    Tunnel restriction code: E  
 Excepted Quantity: E 2

Air transport ICAO

Limited Quantity: LQ 22  
 Excepted Quantity: E 2  
 PAX: 851    max. weight PAX: 1 L  
 CAO: 855    max. weight CAO: 30 L

Maritime transport IMDG

EmS: F-A, S-B    Storage category: B

**14.1 UN number: 3266**    **14.2 UN proper shipping name: Corrosive liquid, basic, inorganic, n.o.s. (sodium hydroxide solution)**  
**14.3 Class: 8**    **14.4 Packing group: II**

Road transport ADR

Classification code: C5  
 Limited Quantity: 1 L    Tunnel restriction code: E  
 Excepted Quantity: E 2

Air transport ICAO

Limited Quantity: LQ22  
 Excepted Quantity: E 2  
 PAX: 851    max. weight PAX: 1 L  
 CAO: 855    max. weight CAO: 30 L

Maritime transport IMDG

EmS: F-A, S-B    Storage category: B

## 14.5 Environmental hazards

none, contains only small quantities of hazardous substances

## 14.6 Special precautions for user

not necessary

## 14.7 Carriage in bulk by sea in accordance with IMO instruments

Not applicable.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020  
 Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017  
 TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017  
 TRGS 220, National aspects when preparing safety data sheets, Jan 2017  
 TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017  
 TRGS 401, Skin contact hazard - identification, assessment, action, Jun 2008, status: Feb 2011  
 BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012  
 TRGS 500, Protective measures, Mai 2008  
 TRGS 510, Storage of hazardous substances in portable containers from March 2013, status: Oct 2015



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciener Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0    info@mn-net.com  
 CH Tel.: +41 62 388 55 00    sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68    sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24    sales-us@mn-net.com

# Safety Data Sheet

## according to Regulations REACH 1907/2006/EC

REF: 931601

VISOCOLOR soil case, with accessories

Page: 31/33

Printing date: 04.04.2023

Date of issue: 26.01.2023

Version: 2.2.2.25

Chapter 4, Measures when storing hazardous substances up to 50 kg (small quantity regulation)  
 Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016  
 MN leaflet/instructions for use, also at [www.mn-net.com](http://www.mn-net.com)  
 If necessary, observe other country-specific regulations.

### 15.2 Chemical safety assessment not necessary for these small amounts

## SECTION 16: Other information

### 16.1 Changes compared to the last version

Between versions 2.2.2.25 and 2.2.2.2 following changes were applied: - 23 substance data corrected

### 16.2 List of H and P phrases

#### 16.2.1 List of relevant H phrases

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
EUH031	Contact with acids liberates toxic gas.

#### 16.2.2 List of relevant P phrases

P260sh	Do not breathe dust/vapours.
P280sh	Wear protective gloves/eye protection.
P303+361+353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

### 16.3 Recommended restriction on use

Only for professional user.  
 Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!  
 Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!  
 An individual package of this product or test kit has a moderate hazardous potential.

### 16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021  
 Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres  
 SUVA .CH, limit values in the air at work 2009, revised on 01/2009  
 Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)  
 Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG  
 Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)  
 Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)  
 Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)  
 Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progress (11th ATP)  
 Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)  
 Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)  
 TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019  
 Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)  
 Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG  
 Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)  
 Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)  
 Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)

#### revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary  
 2014-04 adjustment according Regulation 487/2013/EU  
 2016-03 adjustment according Regulation 1221/2015/EU  
 2017-08 adjustment according the Ordinance on Ethanol Denaturation 2016/1867/EU  
 2017-11 adjustment according the ECHA registration dossier  
 2022-11 adjustment according Regulation 878/2020/EU



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciener Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

## according to Regulations REACH 1907/2006/EC

REF: 931601

VISOCOLOR soil case, with accessories

Page: 32/33

Printing date: 04.04.2023

Date of issue: 26.01.2023

Version: 2.2.2.25

### 16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

### 16.6 Legend / Abbreviations

acc: according  
 ADR: Convention concerning the International Carriage of Dangerous Goods by Road  
 Act: acute  
 BAT: biological workplace tolerance value  
 CAO: Cargo Aircraft Only  
 Carc: carcinogen  
 CAS: Chemical Abstracts Service  
 CLP: Classification, Labelling and Packaging regulation  
 CMR: carcinogen, mutagen, reproduction toxic  
 Corr: corrosive  
 COD: chemical oxygen demand  
 CSCL: Chemical Substance Control Law (Jp)  
 Dam: damage  
 DNEL: Derived No-Effect Level (for workers)  
 derm: dermal  
 dog: dog  
 EC10: Concentration causing a toxic effect in 10% of the test organisms  
 EC: European Community  
 EC-Nr: Substance number of the EC substance inventory  
 EmS: Guide to accident management measures on ships  
 EU: European Union  
 fish: fish (not specified)  
 GHS: Global Harmonized System of Classification and Labeling of Chemicals  
 gpg: guinea pig  
 ICAO: International Civil Aviation Organization  
 ihl: inhaled  
 IMDG: International Maritime Dangerous Goods Code  
 intrav: intravenous  
 ipt: intraperitoneal  
 ISHL: Industrial Safety and Health Law (Jp)  
 LC50: letale concentration 50%  
 LD50: letale dosis 50%  
 leuciscus idus: fisch, ide, orfe  
 MAK: maximum workplace concentration  
 Met: Metall  
 mus: mouse  
 Muta: mutagen  
 NIOSH: National Institute for Occupational Safety and Health (US)  
 NRD: Non-rapidly degradable  
 onchorhynchus mykiss: fisch, rainbow trout  
 orl: oral  
 OSHA: Occupational Safety and Health Administration  
 PAX: transport on passenger planes allowed  
 PBT: persistent, bioaccumulating, toxic substance  
 pH: pH value  
 pimephales promelas: fisch, fathead minnow  
 PNEC: Predicted No Effect Concentration  
 PROC 15: Process category 'for laboratory use'  
 PRTR: Law for PRTR and Promotion of Chemical Management (Jp)  
 PVC: polyvinyl chloride  
 quail: bird, quail  
 rat: rat  
 rbt: rabbit  
 RD: rapidly degradable  
 RE: repeated  
 REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals  
 REF: item number, reference number  
 Reg.No.: rRegistration number



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciener Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# Safety Data Sheet

## according to Regulations REACH 1907/2006/EC

REF: 931601	VISOCOLOR soil case, with accessories	Page: 33/33
Printing date: 04.04.2023	Date of issue: 26.01.2023	Version: 2.2.2.25

Repr:	harmful to reproduction
Resp:	respiratory
RIP:	REACH Implementations Projects
scu:	sub cutan
SDS:	safety data sheet
Sens:	sensitisation
STEL:	short term exposure limit
STOT:	Specific Target Organ Toxicity
SVHC:	Substance of Very High Concern
t/a:	tons per year
TCCA:	Toxic Chemicals Control Act (S. Korea)
Tox:	toxic
TSCA:	The Toxic Substances Control Act (US)
TWA:	time weighted average
TRGS:	technical regulations (DE)
vPvB:	very persistent, very bioaccumulating substance

### 16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com